- 6. (Cancelled)
- 7. (Cancelled)
- 8. (Cancelled)
- 9. (Cancelled)
- 10. (Cancelled)
- 11. (Cancelled)
- 12. (Cancelled)
- 13. (Cancelled)
- 14. (Cancelled)
- 15. (Cancelled)
- 16. (Cancelled)
- 17. (Cancelled)
- 18. (Cancelled)
- 19. (Cancelled)
- 20. (Cancelled)
- 21. (Cancelled)
- 22. (Cancelled)
- 23. (Cancelled)
- 24. (Cancelled)
- 25. (Cancelled)
- .26. (Cancelled)
- 27. (Cancelled)
- 28. (Cancelled)

403960_1.DOC

29.	(Cancelled)	
30.	(Cancelled)	
31.	(Cancelled)	
32.	(Cancelled)	
33.	(Cancelled)	
34.	(Cancelled)	
35.	(Cancelled)	
36.	(Cancelled)	
37.	(Cancelled)	
38.	(Original) A method for taxonomic identification of a biological analyte comprising:	
	(a)	exposing the solution containing the analyte to a ligand specific for the analyte of
		interest that has been conjugated to a marker;
	(b)	separating the bound analyte from the excess marker-conjugated ligands;
	(c)	interrogation of the analyte for ligand binding via detection of the conjugated
		marker.
39.	(Original) The method of claim 38, wherein the biological analyte is selected from the	
	group comprised of:	
	(d)	bacteria;
	(e)	viruses;
	(f)	proteinaceous toxin;
	(g)	rickettsiae;
	(h)	protozoa;
	(i)	fungi; and

- (j) cytosolic protein.
- 40. (Currently Amended) The method of claim 38, wherein the separation of the bound analyte from the excess conjugated ligand is accomplished by via chromatography.
- 41. (Currently Amended) The method of claim 38, wherein the ligand is conjugated to a magnetic particle and the separation of the bound analyte from the non-binding components of the analyte solution is accomplished by magnetic separation with the ligand being tethered to the magnetic particle by at least fifteen at around forty Å for capture of microorganisms.
- 42. (Original) The method of claim 38, wherein the ligand is a heme compound.
- 43. (Original) The method of claim 38, wherein the ligand is a siderophore.
- 44. (Original) The method of claim 38, wherein the ligand is a polysaccharide.
- 45. (Original) The method of claim 38, wherein the ligand is a peptide specific for an outer membrane protein.
- 46. (Original) The method of claim 38, wherein the ligand is a peptide specific for a conjugated lipid.
- 47. (Original) The method of claim 38, wherein the marker is fluorescent and the detection is via fluorescence.
- 48. (Original) The method of claim 38, wherein the marker is luminescent and the detection is via luminescence.
- '49. (Original) The method of claim 38, wherein the marker is radioactive and the detection is via radioactivity.
- 50. (Original) The method of claim 38, wherein the marker is phosphorescent and the detection is via phosphorescence;

- 51. (Cancelled)
- 52. (Cancelled)
- 53. (Cancelled)
- 54. (Cancelled)
- 55. (Cancelled)
- 56. (Cancelled)
- 57. (Cancelled)
- 58. (Cancelled)
- 59. (Cancelled)
- 60. (Cancelled)
- 61. (Cancelled)
- 62. (Cancelled)
- 63. (Cancelled)
- 64. (Cancelled)
- 65. (Cancelled)
- 66. (Cancelled)
- 67. (Cancelled)
- 68. (Cancelled)
- 69. (Cancelled)
- '70. (Cancelled)
- .71. (Cancelled)
- 72. (Cancelled)
- 73. (Cancelled)

- 74. (Cancelled)
- 75. (Cancelled)
- 76. (Cancelled)
- 77. (Cancelled)
- 78. (Cancelled)
- 79. (Cancelled)
- 80. (Cancelled)
- 81. (Cancelled)
- 82. (Cancelled)
- 83. (Cancelled)

Applicant requests that the foregoing Amendment be entered prior to examination.

Respectfully submitted,

K.S. Cornaby

Jones Waldo Holbrook & McDonough PC

Attorneys for Applicants

170 South Main Street, Suite 1500

Salt Lake City, UT 84101

(801) 521-3200

ksc@joneswaldo.com



CERTIFICATE OF TRANSMISSION

I hereby certify that this correspondence is being deposited with the United States Postal Service Express Mail EV 534754905 US in an envelope addressed to Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450 on 7th day of January, 2005.

Roberta M. Kelly

- 7 -